

Atelier Lighting

Perfect for your needs.

Expertise

Commitment

Quality

Criteria of Luminaires

Kode Garansi

Garansi	Nama
5 Tahun	<i>Treasures</i>
4 Tahun	<i>Exellence</i>
3 Tahun	<i>Pro</i>
2 Tahun	<i>Optima</i>

Kode CRI & Color Temperature

<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> 830 CRI >80 </div> <div style="text-align: center;"> 830 Color Temp. 3000K </div> </div>		
Kode	CRI	Color Temperature
830/840/865	8 = CRI >80	30/40/65 = Color Temp 3000K/4000K/6500K
930/940/965	8 = CRI >90	30/40/65 = Color Temp 3000K/4000K/6500K

Hannochs[®]
Prestige

LED Lamp

Filament Bulb



Filament LED

Optima 2 Years Warranty

Filament LED - Vintage Lamps



220-240V
Voltage



320°
Beam Angle



CRI 80
Color Rendering Index



≥0.5
Power Factor



<6
SDCM



15.000H
Long Lifetime

Features

320° Amber Cover
Non-Dimmable
Certification: CE



Benefits


Soft color temperature,
suitable for creating
a warm atmosphere.

Model	Wattage	Lumens	Color Temperature	Base	Dimension	Price
Classic LED A60 E27 Optima 4W 822	4 W	350 lm	2200K	E27	Ø60*106mm	Rp. 38.750
Candle LED C35 E14 Optima 4W 822	4 W	350 lm	2200K	E14	Ø35*98/92/91mm	Rp. 32.500
Candle LED C35 E27 Optima 4W 822	4 W	350 lm	2200K	E27	Ø35*98/92/91mm	Rp. 32.500
Pear LED P45 E14 Optima 4W 822	4 W	350 lm	2200K	E14	Ø45*78/76/75mm	Rp. 32.500
Pear LED P45 E27 Optima 4W 822	4 W	350 lm	2200K	E27	Ø45*78/76/75mm	Rp. 32.500
Vintage LED ST64 E27 Optima 4W 822	4 W	350 lm	2200K	E27	Ø64*145/144mm	Rp. 50.000
Globe LED G80 E27 Optima 4W 822	4 W	350 lm	2200K	E27	Ø80*123/122mm	Rp. 87.500

Classic LED

Treasures 5 Years Warranty

Filament A60-Clear



210lm/W
Class A energy saving
@EU ErP Rating



220-240V
Voltage



120°
Beam Angle



CRI 80
Color Rendering Index




≥0.5
Power Factor



<6
SDCM



50.000H
Long Lifetime



Features

320° Clear Cover
Non-Dimmable
Certification: CE+ErP+EMC



Benefits

Wide beam angle, suitable for use in deco fixtures

Model	Wattage	Lumens	Color Temperature	Base	Dimension	Price
Classic LED A60 E27 Treasures 3W 830/840/865	3 W	470 lm	3000/4000/6500K	E27	Ø60*106mm	Rp. 72.500
Classic LED A60 E27 Treasures 4W 830/840/865	4 W	806 lm	3000/4000/6500K	E27	Ø60*106mm	Rp. 75.000
Classic LED A60 E27 Treasures 5W 830/840/865	5 W	1060 lm	3000/4000/6500K	E27	Ø60*106mm	Rp. 82.500
Classic LED A60 E27 Treasures 7W 830/840/865	7 W	1521 lm	3000/4000/6500K	E27	Ø60*110mm	Rp. 167.500

Globe LED

Treasures 5 Years Warranty

Filament G95/G125-Clear



A

210lm/W

Class A energy saving @EU ErP Rating



220-240V
Voltage



120°
Beam Angle



CRI 80
Color Rendering Index



≥0.5
Power Factor



<6
SDCM



50.000H
Long Lifetime



Features

- 320° Clear Cover
- Non-Dimmable
- Certification: CE+ErP+EMC



Benefits

Wide beam angle, suitable for use in deco fixtures

Model	Wattage	Lumens	Color Temperature	Base	Dimension	Price
Globe LED G95 E27 Treasures 4W 830/840/865	4 W	806 lm	3000/4000/6500K	E27	Ø95*138mm	Rp. 95.000
Globe LED G95 E27 Treasures 4W 830/840/865	4 W	806 lm	3000/4000/6500K	E27	Ø125*138mm	Rp. 112.500

Hannochs[®]
Prestige

LED Lamp
Spotlight Bulb



Spotlight LED GU10

Pro 3 Years Warranty

Premium High Lumen PAR16 Lamp



Track Spot



Surface DL



Recessed DL

Fit with fixtures



100-240V
Voltage



COB 10°
Beam Angle



CRI 80
Color Rendering Index



≥0.5
Power Factor



<7
SDCM



25.000H
Long Lifetime



Model	Wattage	Lumens	Color Temperature	Base	Dimension	Price
Spotlight LED M800 COB GU10 Pro 8W 830/840/865	8 W	800 lm	3000/4000/6500K	GU10	Ø64*50mm	Rp. 117.500

Spotlight LED MR16

Pro 3 Years Warranty

MR16 GU5.3 Spot Lamp



MR16/ GU5.3



220-240V
Voltage



SMD 36°
Beam Angle



CRI 80
Color Rendering Index



≥0.5
Power Factor



<6
SDCM



25.000H
Long Lifetime



Features

36° Spot beam angle
>100lm/W

Benefits

Wide application range to replace MR16 Halogen spotlights.

Such as cabinet, display, hotels, galleries, boutiques, restaurants, malls, bars.

Model	Wattage	Lumens	Color Temperature	Base	Dimension	Price
Spotlight LED MR16 Pro 4W 830/840/865	4 W	360 lm	3000/4000/6500K	GU5.3	Ø45*50mm	Rp. 62.500

Spotlight LED GU10

Excellence 4 Years Warranty

CRI97 Glass PAR16



220-240V
Voltage



36°
Beam Angle



CRI 97
Color Rendering Index



≥0.5
Power Factor



<6
SDCM



40.000H
Long Lifetime

Features

Dimmable
Certification: CE+ErP



Benefits

Energy Saving



Model	Wattage	Lumens	Color Temperature	Base	Dimension	Price
Spotlight LED M250 GU10 Excellence 5W 940 Dimmable	5 W	275 lm	4000K	GU10	Ø50*52mm	Rp. 75.000
Spotlight LED M250 GU10 Excellence 6W 927/930/940 Dimmable	6 W	360 lm	2700/3000/4000K	GU10	Ø50*54mm	Rp. 85.000

Hannochs[®]
Prestige


LED Tube
LED Tube



T8 LED Tube

Treasures 5 Years Warranty

T8 Tube 155lm/W



165-265V
Voltage



270°
Beam Angle



CRI 80
Color Rendering Index



≥0.5
Power Factor



<5
SDCM



60.000H
Long Lifetime

Features

Glass tube with protection sleeve
Comply with new CE+ErP



Benefits

Energy Saving
Shatterproof

Application


Office, Shopping, Warehouse,
Retail, Industrial, Parking.

Model	Wattage	Lumens	Color Temperature	Base	Dimension	Price
T8 LED Tube Single End Treasures 7W 830/865	7 W	1100 lm	3000/6500K	G13	600mm	Rp. 85.000
T8 LED Tube Single End Treasures 14W 830/865	14 W	2100 lm	3000/6500K	G13	1200mm	Rp. 107.500
T8 LED Tube Single End Treasures 20W 830/865	20 W	3100 lm	3000/6500K	G13	1200mm	Rp. 127.500

T8 LED Motion Sensor Tube

Treasures 5 Years Warranty

T8 Built-in Microwave Sensor



160lm/W
Lumen/Watt



220-240V
Voltage



270°
Beam Angle



CRI 80
Color Rendering Index



≥0.9
Power Factor



<5
SDCM



50.000H
Long Lifetime

Features

Built-in Microwave Motion Sensor Module

Detection = 100% lumens,
After 120s at 20% light,
lamp will switch off
without movement

Benefits

Shatterproof
Additional 80% Energy Saving



Application


Garage, Corridor, etc

Model	Wattage	Lumens	Color Temperature	Base	Dimension	Price
T8 LED Motion Sensor Tube Single End Treasures 7W 830/840/865	7 W	1100 lm	3000/4000/6500K	G13	600mm	Rp. 195.000
T8 LED Motion Sensor Tube Single End Treasures 14W 830/840/865	14 W	2100 lm	3000/4000/6500K	G13	1200mm	Rp. 212.500
T8 LED Motion Sensor Tube Single End Treasures 20W 830/840/865	20 W	3100 lm	3000/4000/6500K	G13	1200mm	Rp. 252.500

T5 LED Tube

Treasures 5 Years Warranty

T5 Tube 150lm/W



150lm/W
Lumen/Watt



220-240V
Voltage



270°
Beam Angle



CRI 80
Color Rendering Index



≥0.9
Power Factor



<5
SDCM



50.000H
Long Lifetime

Features

Shatterproof Coated for Safety
Comply with new CE+ErP



Benefits

Energy Saving
Shatterproof

Application


Industrial, Warehouse, Retail,
Parking.

Model	Wattage	Lumens	Color Temperature	Base	Dimension	Price
T5 LED Tube Single End Treasures 8W 830/840/865	8 W	1200 lm	3000/4000/6500K	G5	600mm	Rp. 102.500
T5 LED Tube Single End Treasures 16W 830/840/865	16 W	2400 lm	3000/4000/6500K	G5	1200mm	Rp. 152.500
T5 LED Tube Single End Treasures 18W 830/840/865	18 W	2800 lm	3000/4000/6500K	G5	1500mm	Rp. 205.000
T5 LED Tube Single End Treasures 26W 830/840/865	26 W	4000 lm	3000/4000/6500K	G5	1200mm	Rp. 197.500
T5 LED Tube Single End Treasures 37W 830/840/865	37 W	5600 lm	3000/4000/6500K	G5	1500mm	Rp. 212.500

T5 LED Tube

Treasures 5 Years Warranty

T5 Tube 150lm/W



150lm/W
Lumen/Watt



220-240V
Voltage



270°
Beam Angle



CRI 80
Color Rendering Index



≥0.9
Power Factor



<5
SDCM



50.000H
Long Lifetime

Features

Shatterproof Coated for Safety
Comply with new CE+ErP



Benefits

Energy Saving
Shatterproof

Application

Industrial, Warehouse, Retail,
Parking.

Model	Wattage	Lumens	Color Temperature	Base	Dimension	Price
T5 LED Tube Single End Treasures 8W 830/840/865	7 W	1200 lm	3000/4000/6500K	G5	Ø600mm	Rp. 102.500
T5 LED Tube Single End Treasures 16W 830/840/865	14 W	2400 lm	3000/4000/6500K	G5	Ø1200mm	Rp. 152.500
T5 LED Tube Single End Treasures 18W 830/840/865	20 W	2800 lm	3000/4000/6500K	G5	Ø1500mm	Rp. 205.000
T5 LED Tube Single End Treasures 26W 830/840/865	26 W	4000 lm	3000/4000/6500K	G5	Ø1200mm	Rp. 197.500
T5 LED Tube Single End Treasures 37W 830/840/865	37 W	5600 lm	3000/4000/6500K	G5	Ø1500mm	Rp. 212.500

Downlight Box KR60C GU10

GU10 Spot Fixture



*Only fixture, without lamps

+
Compatible
With



36°



50*57

or



50*64



Features


- 2-in-1 with Retrofit Lamp
- Die-Cast Aluminum Housing
- Black/White Finish Options

Benefits

- Easy Mount, Easy Retrofitting

Application

Suitable for Residential or Commercial Use.

Model	Shape	Voltage	Watt	Beam Angle	UGR	Body Color		Price
						White	Black	
Downlight Box KR60C GU10 2.5inch OBS White/Black	Square	100-240V	Max.12W	36°	<19			Rp. 227.500

Track Spotlight Fixture GU10

GU10 Track Spot Light

*Only fixture, without lamps



Features

Match With MR16 GU10 Lamps.
White/Black Color Available.

Benefits

Track Light Body + MR16 Cost is **40-50%**
Lower Than Integrated Track Light.

Application

Suitable for Residential or Commercial
Spot Lighting Use.

Model	Shape	Voltage	Material	Dimension	Body Color		Price
					White	Black	
Track Spotlight Fixture GU10 White/Black	GU10	100-240V	Aluminium	55*110mm			Rp. 142.500

Hannochs[®]
Prestige

Spotlight
LED Tracklight



Track Spotlight LED ETS Pro

Pro 3 Years Warranty

Eco Built-in Track Spot Light 2 Wires



220-240V
Voltage



36°
Beam Angle



CRI 80
Color Rendering Index




≥0.5
Power Factor



<6
SDCM



25.000H
Long Lifetime



Features

Die-Casting Housing with Good Heat Dissipation.

Full series from 8-30W to satisfy different.

Application

Non-Flickering, Eye-Friendly.

Model	Wattage	Lumens	Color Temperature	Beam Angle	Wires	Price
Track Spotlight LED ETS Pro 8W 830/840/865	8 W	720 lm	3000/4000/6500K	36°	2 Wires	Rp 302.500
Track Spotlight LED ETS Pro 12W 830/840/865	12 W	1080 lm	3000/4000/6500K	36°	2 Wires	Rp 367.500
Track Spotlight LED ETS Pro 20W 830/840/865	20 W	1800 lm	3000/4000/6500K	36°	2 Wires	Rp 495.000
Track Spotlight LED ETS Pro 25W 830/840/865	25 W	2250 lm	3000/4000/6500K	36°	2 Wires	Rp 535.000
Track Spotlight LED ETS Pro 30W 830/840/865	30 W	2700 lm	3000/4000/6500K	36°	2 Wires	Rp 612.500

Tracklight LED TEA1

Treasures 5 Years Warranty

TEA1 Slim Track Spot Light



2 Wires



White



Black



Black & Gold



15°



24°



36°



220-240V
Voltage



15/24/36°
Beam Angle



CRI 80
Color Rendering Index



≥0.9
Power Factor



<5
SDCM



50.000H
Long Lifetime



Features

Compact low profile design
Full product portfolio for applications
Black/White/Gold options

Benefits

Excellent light quality and color performance

Application

Suitable for fashion shops, exhibitions.

Model	Wattage	Lumens	Color Temperature	Beam Angle	Dimension	Price
Tracklight LED TEA1 Treasures 8W 830/840	8 W	640 lm	3000/4000K	15/24/36°	Φ50*H210mm	Rp 487.500
Tracklight LED TEA1 Treasures 13W 830/840	13 W	1000 lm	3000/4000K	15/24/36°	Φ50*H210mm	Rp 555.000
Tracklight LED TEA1 Treasures 20W 830/840	20 W	1800 lm	3000/4000K	15/24/36°	Φ60*H220mm	Rp 700.000
Tracklight LED TEA1 Treasures 30W 830/840	30 W	2700 lm	3000/4000K	15/24/36°	Φ80*H256mm	Rp 925.000

Hannochs[®]
Prestige

Downlight
LED Downlight



LED Downlight

Treasures 5 Years Warranty

Stamping COB Downlight



UGR<19



Ext. PSU



220-240V
Voltage



36°
Beam Angle



CRI >90
Color Rendering Index




≥0.9
Power Factor



<6
SDCM



50.000H
Long Lifetime



Lumen dimmable by
0-10V dimmer switch






Replaceable
Reflector


Replaceable
Lens

Model	Wattage	Lumens	Color Temperature	UGR	Dimension	Price
Downlight LED DS1 COB Treasures 9W 2.5inch IBR 930/940/965	9 W	900 lm	3000/4000/6500K	<19	2.5inch	Rp 397.500
Downlight LED DS1 COB Treasures 14W 4.0inch IBR 930/940/965	14 W	1650 lm	3000/4000/6500K	<19	4inch	Rp 517.500
Downlight LED DS1 COB Treasures 28W 6.0inch IBR 930/940/965	28 W	3000 lm	3000/4000/6500K	<19	6inch	Rp 702.500
Downlight LED DS1 COB Treasures 35W 8.0inch IBR 930/940/965	35 W	3900 lm	3000/4000/6500K	<19	8inch	Rp 920.000


Upgrade Kit for Hannochs LED Downlight DS1 COB

UGR<16 Reflector & Lens

Model	Dimension (inch)	UGR	Image
Upgrade Kit UGR<16 DS1 9W 2.5inch IBR	2.5	<16	
Upgrade Kit UGR<16 DS1 14W 4.0inch IBR	4	<16	
Upgrade Kit UGR<16 DS1 28W 6.0inch IBR	6	<16	



Upgrade Kit for UGR<19 to UGR<16



LED Downlight

Treasures 5 Years Warranty

AR111 Retrofit Down Light CRI 95



Without Fixture



220-240V
Voltage



60°
Beam Angle



CRI 95
Color Rendering Index




≥0.9
Power Factor



<6
SDCM



50.000H
Long Lifetime



Retrofit bulb halogen lamps in down light



- AR111 Retrofit Light Module for Grille down light
- Guarantee long lifespan with die-casting body for good heat ventilation
- High Quality Light Source with famous brand chip: Samsung & Bridgelux
- Ideal Replacement Retrofit Light Source for Metal Halide Lamps in down light

Model	Wattage	Lumens	Color Temperature	LED Type	Dimension	Price
Downlight LED AR111 COB Treasures 30W IBR 830/840/865	30 W	2700 lm	3000/4000/6500K	COB	111*84mm	Rp 422.500

LED Downlight

Treasures 5 Years Warranty

Slim Anti-Glare Downlight



100-240V
Voltage



60°
Beam Angle



CRI >80
Color Rendering Index



≥0.9
Power Factor



<6
SDCM



50.000H
Long Lifetime



IP44
Indeks Proteksi



Anti-Glare Design



UGR<16

Ultra-Thin Housing Design



38mm

High Efficiency & Excellent Optical Design

Model	Wattage	Lumens	Color Temperature	UGR	Dimension	Price
Downlight Slim LED ADGC Treasures 9W 4.0inch IBR 830/840/865	9 W	800 lm	3000/4000/6500K	<16	4inch	Rp 280.000
Downlight Slim LED ADGC Treasures 27W 6.0inch IBR 830/840/865	27 W	2700 lm	3000/4000/6500K	<16	6inch	Rp 430.000
Downlight Slim LED ADGC Treasures 35W 8.0inch IBR 830/840/865	35 W	3500 lm	3000/4000/6500K	<16	8inch	Rp 562.500

LED Downlight


Treasures 5 Years Warranty

Mini COB Spot Light



30°

Adjustable 30 degrees tilt Angle



220-240V
Voltage



30°
Beam Angle



CRI 80
Color Rendering Index



≥0.9
Power Factor



<6
SDCM



50.000H
Long Lifetime



IP20
Indeks Proteksi




Model	Wattage	Lumens	Color Temperature	LED Type	Dimension	Price
Spotlight LED FY3 COB Treasures 9W 3.0inch IBR 830/840/865	9 W	680 lm	3000/4000/6500K	COB	Ø84mm	Rp 422.500

Grille LED COB

Pro 3 Years Warranty

COB Grille Light



100-240V
Voltage



CRI 80
Color Rendering Index



≥0.5
Power Factor



<6
SDCM



30.000H
Long Lifetime

Features

COB LED inside
Full range options

Benefits

Easy retrofitting

Application

Suitable for residential
or commercial use.

Model	Wattage	Lumens	Color Temperature	Beam Angle	Dimension	Price
Grille LED COB Pro 1x7W IBS 830/840/865	1 x 7 W	595 lm	3000/4000/6500K	24°	122*122*115mm	Rp 487.500
Grille LED COB Pro 1x12W IBS 830/840/865	1 x 12 W	1020 lm	3000/4000/6500K	24°	140*140*130mm	Rp 610.000
Grille LED COB Pro 1x20W IBS 830/840/865	1 x 20 W	1650 lm	3000/4000/6500K	24°	140*140*130mm	Rp 675.000
Grille LED COB Pro 2x7W IBS 830/840/865	2 x 7 W	595x2 lm	3000/4000/6500K	24°	122*220*115mm	Rp 775.000
Grille LED COB Pro 2x12W IBS 830/840/865	2 x 12 W	1020x2 lm	3000/4000/6500K	24°	140*270*130mm	Rp 927.500
Grille LED COB Pro 2x20W IBS 830/840/865	2 x 20 W	1650x2 lm	3000/4000/6500K	24°	140*270*130mm	Rp 1.177.500
Grille LED COB Pro 3x12W IBS 830/840/865	3 x 12 W	1020x3 lm	3000/4000/6500K	24°	140*390*130mm	Rp 1.393.750
Grille LED COB Pro 3x20W IBS 830/840/865	3 x 20 W	1650x3 lm	3000/4000/6500K	24°	140*390*130mm	Rp 1.685.000

LED Downlight

Pro 3 Years Warranty

High Power COB Downlight



60°



- High power downlight
- Compact die-cast aluminum
- More heatsink design to guarantee 25.000H



220-240V
Voltage



60°
Beam Angle



CRI 80
Color Rendering Index



≥0.9
Power Factor



<6
SDCM



25.000H
Long Lifetime



Model	Wattage	Lumens	Color Temperature	LED Type	Dimension	Price
Downlight LED GD COB Pro 60W 8.0inch IBR 830/840/865	60 W	5900 lm	3000/4000/6500K	COB	8inch	Rp 912.500

LED Downlight

Pro 3 Years Warranty

KS06 Compact Anti-glare Spot Light



- Compact with driverless DOB
- High efficacy with back light design
- Shielding angle for more comfortable light
- Color options for other scenarios



220-240V
Voltage



36°
Beam Angle



CRI 80
Color Rendering Index




≥0.5
Power Factor



<6
SDCM



25.000H
Long Lifetime



Model	Wattage	Lumens	Color Temperature	UGR	Dimension
Downlight LED KS06 Pro 5W 2.5inch IBR 830/840/865	5 W	490 lm	3000/4000/6500K	<19	2.5inch
Downlight LED KS06 Pro 8W 4.0nch IBR 830/840/865	8 W	900 lm	3000/4000/6500K	<19	4inch
Downlight LED KS06 Pro 13W 6.0nch IBR 830/840/865	13 W	1350 lm	3000/4000/6500K	<19	6inch

Spotlight Module LED DM02 COB

Pro 3 Years Warranty

DM02 Modular COB Spotlight



200-240V
Voltage



36°
Beam Angle




CRI 95
Color Rendering Index



≥0.5
Power Factor



25.000H
Long Lifetime



Features & Benefits

- 1:1 Retrofit Halogen Spotlight
- Wide Options by Modular
- CRI95 COB Rendering True Color
- Isolated High Performance Driver
- White/Black Color Optional

Application

Ideal for 1:1 Retrofit Traditional Halogen Ambient Recessed Spotlight, Commercial or Residential Applications, Like Shop, Reception, Canteen, Home, etc.

Model	Wattage	Lumens	Color Temperature	Dimension
Spotlight Module LED DM02 COB Pro 8W 930/940/965	8 W	640 lm	3000/4000/6500K	2.5inch
Spotlight Module LED DM02 COB Pro 11W 930/940/965	11 W	880 lm	3000/4000/6500K	2.5inch
Spotlight Module LED DM02 COB Pro 13W 930/940/965	13 W	1040 lm	3000/4000/6500K	2.5inch

Spotlight Kit DM02

Pro 3 Years Warranty

Spotlight Kit for Module LED DM02 COB



Model	Dimension	Body Color	
		White	Black
Spotlight Kit DM02 Shield Deep Fixed White/Black	82*46mm		
Spotlight Kit DM02 Shield Symmetry Fixed White/Black	85*39mm		
Spotlight Kit DM02 Shield Asymmetric Tilt White/Black	85*39mm		
Spotlight Kit DM02 Axis Shallow Round Tilt White/Black	85*26mm		
Spotlight Kit DM02 Axis Deep Round Tilt White/Black	85*37mm		

Model	Dimension (mm)	Body Color	
		White	Black
Spotlight Kit DM02 Axis Shallow Square Tilt White/Black	85*85*26		
Spotlight Kit DM02 Axis Deep Square Tilt White/Black	85*85*37		
Spotlight Kit DM02 Grille Single Tilt White/Black	116*116*51		
Spotlight Kit DM02 Grille Twins Tilt White/Black	236*116*51		
Spotlight Kit DM02 Grille Triple Tilt White/Black	342*116*51		

Hannochs[®]
Prestige

Panel Light
LED Panel Light



LED Panel RB1

Treasures 5 Years Warranty

Back-Lit Panel



100lm/W
Lumen/Watt



220-240V
Voltage



120°
Beam Angle



CRI 80
Color Rendering Index



≥0.9
Power Factor



<6
SDCM



50.000H
Long Lifetime



Features

Streamlined low profile design
Even and soft light distribution

Benefits

Comfort light with good budget

Application

Suitable for office or commercial use

Model	Wattage	Lumens	Color Temperature	UGR	Dimension	Price
Panel LED RB1 UGR<19 Treasures 60x60cm 40W 840/865	40 W	4000 lm	4000/6500K	19	595*595mm	Rp 667.500
Panel LED RB1 UGR<19 Treasures 30x120cm 40W 840/865	40 W	4000 lm	4000/6500K	19	300*1200mm	
Panel LED RB1 UGR<19 Treasures 60x120cm 60W 840/865	60 W	6500 lm	4000/6500K	19	600*1200mm	

Hannochs[®]
Prestige


Linear Light
LED Linear Light



LED Linear LM01

Treasures 5 Years Warranty

Connectable Linear Light



Optic Options



Tool Free Connect



CRI 80
Color Rendering Index



≥0.9
Power Factor



<6
SDCM



50.000H
Long Lifetime

Features

Optic/Connector Platform
Surface/Suspend/Recessed
Spot/Sensor/Spekar Function
Module Options

Benefits

Easy Conncetable

Application

Cover Office/Commercial
Lighting Applications

Model	Voltage	Wattage	Lumens	Color Temperature	BA	Dimension	Price
Linear LED LM01 Connectible Treasures 60cm 20W 830/840/865	120-277V	20 W	2200 lm	3000/4000/6500K	100°	600mm	Rp 1.037.500
Linear LED LM01 Connectible Treasures 120cm 39W 830/840/865	120-277V	39 W	4200 lm	3000/4000/6500K	100°	1200mm	Rp 1.522.500
Linear LED LM01 Connectible Treasures C7 8W 830/840/865	220-240V	8 W	600 lm	3000/4000/6500K	100°	165*165*49mm	Rp 787.500
Linear LED LM01 Connectible Treasures CL 8W 830/840/865	220-240V	8 W	800 lm	3000/4000/6500K	100°	151*151*58mm	Rp 905.000
Linear LED LM01 Connectible Treasures CT 13W 830/840/865	120-277V	13 W	1200 lm	3000/4000/6500K	100°	252*151*58mm	Rp 990.000
Linear LED LM01 Connectible Treasures CX 16W 830/840/865	120-277V	16 W	1600 lm	3000/4000/6500K	100°	252*252*58mm	Rp 1.302.500
Linear LED LM01 Connectible Treasures Spot 12W 830/840/865	120-277V	12 W	1200 lm	3000/4000/6500K	36°	300*49*200mm	Rp 940.000

LED Linear LP1

Treasures 5 Years Warranty

LP1 Low-Glare Linear Light



CRI 80
Color Rendering Index



≥0.9
Power Factor



<6
SDCM



50.000H
Long Lifetime

Features


Streamlined Low Profile Design
Black/White Finish Options
Even and Soft Light Distribution

Benefits

Comfort Light with Good Budget

Application

Suitable for Commercial or Residential Use



Model	Voltage	Wattage	Lumens	Color Temperature	BA	Dimension	Price
Linear LED LP1 Treasures 120cm 36W 830/840/865	220-240V	36 W	2880 lm	3000/4000/6500K	100°	1200mm	Rp 940.000

Hannochs[®]
Prestige

AC IP65 LED
LED Striplight



StripLED AC LS01R

Optima 2 Years Warranty

AC IP65 LED Striplight

LED Chips	SMD 2835
LED Chips Qty/M	120pcs/M
Power/M	10W
PCB Width	8mm
Cutttable	Per 1 Meter



220-240V
Voltage



120°
Beam Angle



CRI >80
Color Rendering Index



20.000H
Long Lifetime



IP65
Indeks Proteksi



Model	Wattage	Lumens	Color Temperature	Function	Dimension	Price
StripLED AC LS01R Optima 1000lm/M CCT (50M) Set	10 W	1000 lm/M	3000/4000/6500K	CCT	14*6.5mm	Rp 4.250.000

StripLED AC LS02R

Optima 2 Years Warranty

AC IP65 LED Striplight

- LED Chips **SMD 2835**
- LED Chips Qty/M **180pcs/M**
- Power/M **12W**
- PCB Width **10mm**
- Cuttable **Per 1 Meter**



220-240V
Voltage



120°
Beam Angle



CRI >80
Color Rendering Index



20.000H
Long Lifetime



IP65
Indeks Proteksi



Model	Wattage	Lumens	Color Temperature	PCB Width	Dimension	Price
StripLED AC LS02R Optima 1200lm/M 830 (50M) Set	12 W	1200 lm/M	3000K	10mm	14*6.5mm	Rp 3.250.000
StripLED AC LS02R Optima 1200lm/M 840 (50M) Set	12 W	1200 lm/M	4000K	10mm	14*6.5mm	Rp 3.250.000
StripLED AC LS02R Optima 1200lm/M 865 (50M) Set	12 W	1200 lm/M	6500K	10mm	14*6.5mm	Rp 3.250.000

StripLED AC LS01C COB

Optima 2 Years Warranty

AC IP65 LED Striplight

- LED Chips **COB**
- LED Chips Qty/M **424pcs/M**
- Power/M **10W**
- PCB Width **10mm**
- Cuttable **Per 1 Meter**



220-240V
Voltage



120°
Beam Angle



CRI >80
Color Rendering Index



20.000H
Long Lifetime



IP65
Indeks Proteksi



Model	Wattage	Lumens	Color Temperature	PCB Width	Dimension	Price
StripLED AC LS01C COB Optima 900lm/M 830 (50M) Set	10 W	900 lm/M	3000K	10mm	14*6.5mm	Rp 7.500.000
StripLED AC LS01C COB Optima 900lm/M 840 (50M) Set	10 W	900 lm/M	4000K	10mm	14*6.5mm	Rp 7.500.000
StripLED AC LS01C COB Optima 900lm/M 865 (50M) Set	10 W	900 lm/M	6500K	10mm	14*6.5mm	Rp 7.500.000

Hannochs[®]
Prestige

Drivers & Accs (Supporting Parts)


Power Cord & Controller



Power Cord & Controller

Optima 2 Years Warranty


AC IP65 LED Striplight



Model	Wattage	Voltage	Lifespan	Dimension	Price
Power Cord AC Optima (50M)	Max. 1760W	220-240V	20.000H	415mm length	Rp 62.500
Controller AC CCT Optima (50M)	Max. 1760W	220-240V	20.000H	500mm length	Rp 187.500

Hannochs[®]
Prestige

DC 24V
LED Striplight




HLS P3WA DC 24V IP20 COB

Pro 3 Years Warranty

DC 24V IP20 LED Striplight COB

LED Chips	COB
LED Chips Qty/M	320pcs/M
Power/M	<10W
PCB Width	8mm
Cuttable	Per 5cm



DC 24V
Voltage




140°
Beam Angle



CRI >90
Color Rendering Index



25.000H
Long Lifetime



Model	Lumens	Color Temperature	Price
HLS P3WA DC 24V IP20 COB CDL (5M)	850-950 lm/M	6500K	Rp 325,000
HLS P3WA DC 24V IP20 COB WW (5M)	750-850 lm/M	3000K	Rp 325,000
HLS P3WA DC 24V IP20 COB CF (5M)	750-850 lm/M	4000K	Rp 325,000

Hannochs[®]
Prestige

Drivers & Accs (Supporting Parts)

Electronic Transformer DC 24V



Electronic Transformator

Optima 2 Years Warranty

DC 24V IP67 LED Driver



IP67
Indeks Proteksi



Model	Output Wattage	Input Voltage (AC)	Output Voltage (DC)	Lifespan	Dimension	Price
HET P2WA DC 24V IP67 60W	60W (2.5A Max.)	AC 170-265V 50/60Hz	DC 24V	15.000H	152*46*22 mm	Rp 375.000
HET P2WA DC 24V IP67 36W	36W (1.5A Max.)	AC 170-265V 50/60Hz	DC 24V	15.000H	112*36*22 mm	Rp 250.000

Hannochs[®]
Prestige


Decorative Light
LED Pendant Light




Pendant Ribbon LED

Optima 2 Years Warranty

Decorative LGP Pendant Light



Ribbon I LED XA



100-240V
Voltage




CRI 80
Color Rendering Index



≥0.5
Power Factor



<6
SDCM



Ribbon III LED




Model	Wattage	Lumens	Color Temperature	Dimension	Price
Pendant Ribbon I LED Optima 8W 830/840/865	8 W	480 lm	3000/4000/6500K	H200*W100mm	Rp 387.500
Pendant Ribbon III LED Optima 8W 830/840/865	12 W	720 lm	3000/4000/6500K	H300*W140mm	Rp 622.500


Pendant Roller LED

Optima 2 Years Warranty

Decorative LGP Pendant Light



Roller



100-240V
Voltage



CRI 80
Color Rendering Index



≥0.9
Power Factor



<6
SDCM




Model	Wattage	Lumens	Color Temperature	Function	Dimension	Price
Pendant Roller Basic LED Optima 30W 830/840/865	30 W	2400 lm	3000/4000/6500K	NA	D120*L800mm	Rp 4.345.000
Pendant Roller Dim LED Optima 30W 30/840/865	30 W	2400 lm	3000/4000/6500K	3-Step DIM	D120*L800mm	Rp 5.012.500
Pendant Roller Dim LED Optima 30W CCT	30 W	2400 lm	3000/4000/6500K	3-Step DIM/CCT	D120*L800mm	Rp 5.012.500


Pendant Waltz LED

Optima 2 Years Warranty

Decorative LGP Pendant Light



Waltz



100-240V
Voltage



CRI 80
Color Rendering Index



≥0.9
Power Factor



<6
SDCM




Model	Wattage	Lumens	Color Temperature	Function	Dimension	Price
Pendant Waltz Basic LED Optima 30W 830/840/865	30 W	2400 lm	3000/4000/6500K	NA	D500*H1200mm	Rp 3.412.500
Pendant Waltz Dim LED Optima 30W 830/840/865	30 W	2400 lm	3000/4000/6500K	3-Step DIM	D500*H1200mm	Rp 4.162.500
Pendant Waltz Dim LED Optima 30W CCT	30 W	2400 lm	3000/4000/6500K	3-Step DIM/CCT	D500*H1200mm	Rp 4.162.500


Pendant Glaze LED

Optima 2 Years Warranty

Decorative LGP Pendant Light



Glaze



100-240V
Voltage



CRI 80
Color Rendering Index



≥0.9
Power Factor



<6
SDCM




Model	Wattage	Lumens	Color Temperature	Function	Dimension	Price
Pendant Glaze Basic LED Optima 12W 830/840/865	12 W	960 lm	3000/4000/6500K	NA	D400*H1200mm	Rp 2.562.500
Pendant Glaze Dim LED Optima 12W 830/840/865	12 W	960 lm	3000/4000/6500K	3-Step DIM	D400*H1200mm	Rp 3.230.000
Pendant Glaze Dim LED Optima 12W CCT	12 W	960 lm	3000/4000/6500K	3-Step DIM/CCT	D400*H1200mm	Rp 3.230.000

Pendant Circle LED

Optima 2 Years Warranty

Decorative LGP Pendent Light



100-240V
Voltage



CRI 80
Color Rendering Index



APPLICATION 1
3-Step Dim:100%-50%-25% With Wall Switch




≥0.9
Power Factor



<6
SDCM



APPLICATION 2
Stepless Dimmable and CCT Tunable by Remote Control



Model	Wattage	Lumens	Color Temperature	Function	Dimension	Price
Pendant Circle D400 LED Optima 30W 830/840/865	30 W	2400 lm	3000/4000/6500K	NA	D400*H60mm	Rp 1.562.500
Pendant Circle D500 LED Optima 48W 830/840/865	48 W	3840 lm	3000/4000/6500K	NA	D500*H60mm	Rp 1.995.000
Pendant Circle D600 LED Optima 60W 830/840/865	60 W	4800 lm	3000/4000/6500K	NA	D600*H60mm	Rp 2.525.000
Pendant Circle D400 Dim LED Optima 30W 830/840/865	30 W	2400 lm	3000/4000/6500K	3-Step DIM	D400*H60mm	Rp 2.230.000
Pendant Circle D500 Dim LED Optima 48W 830/840/865	48 W	3840 lm	3000/4000/6500K	3-Step DIM	D500*H60mm	Rp 2.745.000
Pendant Circle D600 Dim LED Optima 60W 830/840/865	60 W	4800 lm	3000/4000/6500K	3-Step DIM	D600*H60mm	Rp 3.275.000
Pendant Circle D400 Dim LED Optima 30W CCT	30 W	2400 lm	3000/4000/6500K	3-Step DIM/CCT	D400*H60mm	Rp 2.230.000
Pendant Circle D500 Dim LED Optima 48W CCT	48 W	3840 lm	3000/4000/6500K	3-Step DIM/CCT	D500*H60mm	Rp 2.745.000
Pendant Circle D600 Dim LED Optima 60W CCT	60 W	4800 lm	3000/4000/6500K	3-Step DIM/CCT	D600*H60mm	Rp 3.275.000

Pendant Slim Circle LED


Optima 2 Years Warranty

Decorative LGP Pendant Light

Slim Circle



-  **100-240V**
Voltage
-  **CRI 80**
Color Rendering Index
-  **≥0.5**
Power Factor
-  **<6**
SDCM



APPLICATION 1
3-Step Dim:100%-50%-25% With Wall Switch



APPLICATION 2
Stepless Dimmable and CCT Tunable by Remote Control



Model	Wattage	Lumens	Color Temperature	Function	Dimension	Price
Pendant Slim Circle D400 LED Optima 24W 830/840/865	24 W	2400 lm	3000/4000/6500K	NA	D400*H1200mm	Rp 1.562.500
Pendant Slim Circle D600 LED Optima 40W 830/840/865	40 W	4000 lm	3000/4000/6500K	NA	D600*H1200mm	Rp 2.495.000
Pendant Slim Circle D400 Dim LED Optima 24W 830/840/865	24 W	2400 lm	3000/4000/6500K	3-Step DIM	D400*H1200mm	Rp 2.062.500
Pendant Slim Circle D400 Dim LED Optima 24W CCT	24 W	2400 lm	3000/4000/6500K	3-Step DIM/CCT	D400*H1200mm	Rp 2.062.500
Pendant Slim Circle D600 Dim LED Optima 40W 830/840/865	40 W	4000 lm	3000/4000/6500K	3-Step DIM	D600*H1200mm	Rp 3.080.000
Pendant Slim Circle D600 Dim LED Optima 40W CCT	40 W	4000 lm	3000/4000/6500K	3-Step DIM/CCT	D600*H1200mm	Rp 3.080.000

**Thank You.
Let's Grow Together!**

PT Citra Hannochs Niagantara

Medan

Jl. Kejaksaan No.5D, Sumatera Utara

PT Tri Harmonis Niagantara

Jakarta

Jl. Gedong Panjang No.53, Jakarta Utara

PT Arthatama Pelita Nusa

Surabaya

Jl. Kalianak Barat No.51-D, Jawa Timur

Hannochs[®]
Prestige

